



IFVBESA

Information is crucial

P75 4.1.3 BESA-Detail-PROJECT
For various dogs in the
Quantum Upgrade



Projekt P75 4.1.3 to BESA-Gutachten

within the framework of a BESA seal of approval
on the effectiveness of the product
"Quantum Upgrade"
on various dogs as test subjects
also referred to as "test object" in the project



Client:

Company Leela Quantum Tech, LLC

Attn: Eleonora Goldenberg

1421 LUISA STREET, STE G

SANTA FEE, NM 87505

USA

Project participants:

Project management: Wolfgang Hans Albrecht, President and Scientific Director of IFVBESA
Mag. med. vet. Barbara Hollogschwandtner

Tester: Eva Schmidt, Vice President and Deputy Scientific Director of the IFVBESA

Test subject (proband): 30 (16/14) pets as test subjects with correspondingly different age and health status in a randomised double-blind study.

Test subjects:

P75 4.1.1: 6 test subjects from P1 to P6

P75 4.1.2: 6 test subjects from P7 to P12

P75 4.1.3: **6 test subjects from P13 to P18**

P75 4.1.4: 6 test subjects from P19 to P24

P75 4.1.5: 6 subjects from P25 to P30

Project location: Location 1: International Professional Association for BESA (IFVBESA)
Hauptstraße 1-2

A-4861 Kammer/Schörfling am Attersee

Location 2: Holistic veterinary practice Purkersdorf

Mag med vet Barbara Hollogschwandtner, veterinary surgeon

Linzerstraße 63, A-3002 Purkersdorf

Date: from 05.03.2024 until 07.02.2025

Project duration: 325 days



Table of content

BESA legend for interpreting the BESA measurement results	5
Basics of research project creation P75 4.1	6
Project - Design	8
Test subjects.....	9
Abstract on an interdisciplinary perspective	10
Research funding services of the IFVBESA - BESA reference tests	11
Research project description	11
General information on the information transfer of the test object	12
Test procedure	13
Hormone test procedure.....	13
Data sheet on the tested factors.....	14
The result of an interdisciplinary perspective on the regulation of chronic stress in dogs.....	73
General information on the test result	74
Authorized Summary.....	75

Important notes

The client has the right to utilise this expert opinion/project. Irrespective of this, this report/project is the intellectual property of IFVBESA as the contractor. The contractor is authorised to use this expert opinion/project for other purposes, provided that this does not violate the client's data protection and confidentiality obligations. Apart from this, this project/expert opinion, with the exception of the "Authorised Summary", may not be changed or abridged and passed on without the consent of IFVBESA. The order for this report/project relates to physical and energy-informative measurable values, the interpretation of which is based on the guidelines of BESA or IFVBESA. Maintaining the quality/effectiveness of the tested technologies/processes/products and their regular monitoring is the task and responsibility of the client. For this reason, the technologies/processes/products are subjected to regular efficacy tests by the IFVBESA in order to confirm their functionality in the respective certificates with a validity period. The examination of the manufacture, the mechanism of action or interpretations of the client's products vis-à-vis third parties are not the responsibility or task of the contractor. Video recordings may only be made with the authorisation of IFVBESA.



BESA legend for interpreting the BESA measurement results

A measured value of 50 on the tested meridian represents an optimal energetic state in this organ or its subordinate and superordinate levels. Measured values in the range of 50 to max. 70 still count as a neutral and balanced energy status. The organism is able to regulate irritations of the system (incorrect environmental signals) very well.

Measured values of over 70 to 100 represent the inflammatory range or a so-called energy surplus as a reaction to the stimulation of the system by corresponding environmental signals. Once the maximum values have been reached, the energy state tips into the degenerative (blue) range.

Measured values from below 50 to around 0 represent the so-called degenerative measuring range or a lack of energy as a reaction to the stimulation of the system by corresponding environmental signals.

Measured values that are represented by a so-called pointer drop of more than 3 scale lines indicate total deregulation. The influence of certain environmental signals then leads to such strong system overloads that they can only be harmonised by corresponding new signals.

The orange measured values represent a resonance of the tested substances (electronic honeycomb contents) in the respective bioenergy-informative control circuits called up as well as in its subordinate or superordinate structures.

BESA key figures:

up to 0.79	very deep energetic regulation disorder (SSD) energy deficiency
0.8 to 1.19	Severe energy regulation disorder (SD) Degeneration/energy deficiency
1.2 to 1.59	energy regulation disorder (D) degeneration/energy deficiency
1.6 to 1.99	degenerative transition area (DÜ)
2.0 to 2.39	optimal regulation (OR)
2.4 to 2.79	in regulation (R)
2.8 to 3.19	partial ignition = regional energy surplus (PE)
from 3.2	total inflammation = strong general energy surplus (TE)



Basics of research project creation P75 4.1

The International Association for Bioenergy Informative Systems Analysis was commissioned by the company Leela Quantum Tech, LLC to test the effect of the test object "Quantum Upgrade" using bioenergy informative systems analysis (BESA) on the relevant test subjects (dogs) and to demonstrate its effect on the test subjects. The testing took place independently of the subjective perception of all test subjects. The "Quantum Upgrade" was presented as follows, according to the contract company.

Description of the test object, "Quantum Upgrade" by the client:

Firstly, it is important to understand that two independent objects can be energetically connected to each other. This connection or "association" is known as quantum entanglement. As soon as these two objects are entangled with each other, a change in one object or entity also causes a change in the other or the other - even if they are not in close proximity to each other.

This is why, for example, a mother can "feel" when something happens to her child, even if she is thousands of kilometres away. She is connected to her child (in quantum terms, they are said to be entangled with each other). In this way, scientists can also take a skin cell or blood sample from an astronaut on Earth, send it into space and detect any changes in the cells or samples that remain on Earth.

„Quantum Upgrade" utilises the same proven principle

Through years of research and the development of the Quantum Upgrade product, the company "Leela Quantum Tech, LLC" has created one of the world's most powerful sources of usable quantum energy. With the Quantum Upgrade, any biological object can be connected to this quantum source (energy source).

Immediately after activation, there is an immediate quantum entanglement and quantum energy is channelled to the locations previously defined within the scope of the respective requirements. Healers, emphatic people or those who are particularly sensitive to fields such as electromagnetic fields (EMF) or electromagnetic radiation will probably notice the difference immediately. Others may need a little more time or may not "feel" anything at first - until the first changes in their lives become apparent.

How quantum energy supports change

In physics, there is the so-called principle of inertia, which states that

"A body at rest remains at rest or maintains its state of motion as long as no force acts on it or the sum of the forces cancels out. A body in motion also continues to move at a constant speed as long as no external forces act on it".

This so-called first Newton's law can therefore be applied just as well to all biological objects as to humans: It is easier to keep something the same than to change it, as change requires more energy.

But what happens if you don't have enough energy to change? You get stuck. And that is precisely the point at which the majority of humanity finds itself. They are stuck in old ways of thinking, acting and living.



This is one of the reasons why meditation, prayer and other spiritual practices can lead to powerful changes. They connect us with the "source" or, in other words, back to our source (origin, the absolute) via quantum energy.

And thanks to this additional energy (quantum energy), the "quantum upgrade" can bring about a change that would have been impossible before.

The Quantum Upgrade as a tool

A "Quantum Upgrade" is a technology, one could also consider it a tool, that creates a concentrated quantum energy space.

This is able to balance energies, increase performance and build up protection against e.g. harmful electrosmog radiation (EMSF). Quantum Upgrade is the most innovative development in the field of natural health, combining science and quantum energy healing in an easy-to-use and easy-to-understand subscription service.

Quantum energy harmonises body, mind, spirit and consciousness (body as the embodiment of consciousness). It expands consciousness and activates the flow of pure life energy through the body!

However, juggling the demands of modern life can be tiring and stressful and can leave people feeling overwhelmed. Subconscious fears and ingrained opinions often make us forget that we all have infinite potential and are beings without limits.

And this is exactly where the Quantum Upgrade helps us to return to our natural ego state and expand our consciousness in the long term

In this way, a healthy, fulfilling and meaningful life can be experienced.

Polarity

There is no polarity in the Quantum Upgrade. Magnets add pressure, instability and a certain type of alignment to a quantum field, so the energy of a magnet-supported quantum field is a "trapped" and almost locked-in energy force that cannot flow freely and is constantly battling with the magnetic field. From an energetic point of view, the field must constantly recharge itself. The instability, disharmony and energetic pressure can be felt and "seen" in such devices, and they affect everything in their vicinity.

With the Quantum Upgrade, a groundbreaking new quantum energy generator has been created that provides not just a one-dimensional quantum field, but a truly multi-dimensional quantum space and is also very powerful. It is also not bound in any way to the Earth's magnetic fields and can therefore be considered (and energetically looks like) a quantum sun, as it radiates and emits freely in all directions without an Earth-bound flux. The "Quantum Upgrade" is dynamic, harmonic, always stable and retains these properties when the quantum energy concentration and the levels of consciousness/perspective are increased. Although the use of a Quantum Upgrade comes with a certain responsibility, one should know that the energy is always balanced and harmonious.

To the Quantum Upgrade as a test object

Animals also benefit from the "Quantum Upgrade"

Not only humans benefit from the positive effects of quantum energy. Animals can also sense the energy and utilise it very well for themselves, provided it is tailored to their needs.



These indications are intended as an interpretation of the scope of the effect of the test object and an indication of its holistic orientation. The effect of the "Quantum Upgrade" can thus be easily achieved for the animals.

The concept of this test object is therefore to harmonise and neutralise disturbances, problems, blockages and disharmonies in the animals' environment and thus replace negative states with positive states. Due to its mode of operation, the test object has a simple and yet very effective area of application for the animals.

The animals/subjects are primarily selected by the project partner Barbara Hollogschwandtner, MD. A detailed description of the animals can be found in the project description.

Project - Design

This project is an exploratory study in which the harmonising effect of the test object, the "Quantum Upgrade", on 30 test subjects (dogs) is investigated. This project is double-blind, randomised and carried out in relation to the test object using quantum entanglement. In this scientific experiment, there are at least 16 test subjects in an experimental group (treatment group) and 14 test subjects in a control group (placebo).

The results with regard to the effect of the test object are even more significant than those of a pure double-blind study, as the design of this project includes modern, quantum-physical elements. It thus creates new paths and standards in the field of research into clinical quantum technologies and their modes of action.

The explorative research approach of the IFVBESA

New knowledge, new insights and new ideas are the breeding ground in which science and the technologies of the future thrive. The explorative approach of most of our research projects is the seed for the information medicine or quantum technology of tomorrow. In exploratory study design, we present a methodological research approach in which research areas or research questions are investigated that have not yet been investigated. This demonstrates both the development and the potential of novel approaches for research into future technologies.

The concrete and feasible application reference of the international professional association for BESA reduces the otherwise high research risk that often prevents companies and research institutes from dealing with topics at a very early stage of development.

Double-blind and randomised

This project is conducted in a double-blind, randomised and quantum-entangled manner.

Double-blind means that neither the subject nor the tester knows who will be confronted with the test object and who with the placebo. This is only possible through random group allocation (randomisation). The aim of blinding is to analyse the results as objectively as possible.

Randomised means that a procedure is used in this project in which the test subjects are randomly assigned to the control group or the experimental group.



Quantum entanglement:

Quantum entanglement is not a physical connection between particles, but a synchronisation of information and energy in the field of consciousness. Everything is already connected - not through space and time, but through coherent resonance within a universal information network. Matter is therefore merely a condensed manifestation of this interaction of consciousness.

This means for the current test object: Each test subject (in this case the dogs) receives an energy-informative signature via virtually defined coordinates. This signature forms an energy-informative imprint in the quantum field and exists as a constant reality at every moment of movement.

It stores the frequency and essence of what is mapped via the coordinates and remains stable in the universal information network as a real extract of the space of consciousness. This creates an energetic bridge - a connection between the original moment and the current space of consciousness that remembers and works independently of space and time.

About photography: A photograph is therefore an energetic-informative imprint from the quantum field. This means that a photograph is a visual reminder on the one hand and establishes an energy-informative connection to the current or original moment on the other. The photographs were tested and analysed in the IFVBESA laboratory using a BESA surrogate. This means that all subsequent BESA tests in the project, which are recorded using photographs, are subsequently carried out under the IFVBESA laboratory conditions mentioned above.

What does surrogate mean: This is a substitute person who stands in for the respective test person live in the case of a quantum entangled BESA test or application of the test object.

Placebo (empty object): In this case, unlike the test object, the placebo is an empty object that does not contain any effective frequencies. The test object cannot be distinguished from the empty object (placebo) either for the test subjects or for the test persons.

Test subjects

In addition to the test object already described, at least 30 test subjects form the framework for this research project. In parallel, additional test subjects will be integrated as substitutes for possible unexpected dropouts.

The test subjects as animals (dogs) will be informed in advance of this project via the dog owners about the general procedures for this project and their function as representatives (see corresponding documents).

General means that neither the subjects nor the test persons know what the background of the series of measurements is. The aim of this type of blinding is to obtain as objective an evaluation of the results as possible in order to exclude so-called placebo effects.

The test subjects are anonymously assigned a number from P1 to P30. The test subjects are also anonymously assigned to either the control group or the experimental group.

The different appointments made with the test subjects for the BESA tests may result in the test subjects' numbers from P1 to P30 appearing differently in both the experimental group



and the control group. For this reason, in the statistical analysis, the numbers of subjects P1 to P30 are additionally numbered from 1 to 28 (see list of the experimental group and the control group)

For those test subjects who did not have the opportunity to take part in the BESA tests live during the scheduled period, photos were taken for the quantum entangled BESA tests. The photos were printed on high-quality photo paper, which is necessary for this form of BESA testing. These test subjects are also included in the statistics with quantum entanglement (QV).

The BESA tests are carried out as follows for each test subject:

1. at the beginning of the project to create a so-called status (actual situation).
2. in the 2nd part of the project after at least 4 weeks of exposure to the test object or the blank object (placebo).

Abstract on an interdisciplinary perspective

General

Chronic diseases such as atopic dermatitis, gastrointestinal dysbiosis, respiratory problems, epilepsy and cancer are increasing alarmingly in dogs. Our own initial research results show that these problems are caused on the one hand by environmental factors such as environmental toxins, electromagnetic interference fields (EMSF) and inadequate nutrition, and on the other hand by psychosomatic stresses that dogs often pick up from their owners' emotional environment (e.g. grief or guilt).

Questions that flow into this current study

In this current study, we are investigating the effect of an innovative test object on the general health parameters of dogs. The bioenergy-informative system analysis (BESA) is used to detect possible changes in the energy-informative status and in the vital blood of the animals. Initial results indicate that quantum technology at least stabilises the status of the energy-informative system, opens blocked control loops, modulates inflammatory processes and promotes a sustainable balance in the organism. The initial results of BESA tests show a clear regulation of the energy-informative parameters towards a regulative behaviour. Particularly noteworthy is the observed interaction between the emotional stress of the animal owners and the health of the animals. In many cases, stress-related digestive insufficiencies were found, which led to further stress.

Stress axis

A central aspect is the role of the HPA axis (hypothalamic-pituitary-adrenal axis) in connection with chronic stress. Overstimulation of this axis by physical and emotional stressors impairs hormonal regulatory systems (e.g. cortisol, melanin, melatonin, etc.) and leads to systemic inflammation, immunodeficiency and impaired digestion. Electromagnetic interference fields intensify these stresses as they disrupt cell communication and generate and promote oxidative and nitrosative stress.

Melanin and melatonin play a key role here: melanin not only acts as a pigment, but also as a bioenergy-informative protective system against EMSF, while melatonin has antioxidant and



anti-inflammatory properties. However, stress and EMSF impair their function, which weakens the body's ability to regenerate.

Summarised

The initial results suggest that the technology of the test object can bring about energy-informative harmonisation, support the homeostasis of the HPA axis and promote the regulation of melanin, melatonin and cell communication.

The planned study aims to further investigate these potential effects and shed light on their significance for holistic animal health.

Research funding services of the IFVBESA - BESA reference tests

Project P75 4.1.3 is specifically concerned with proving the effectiveness of the test object's technology on test subjects 13-18 as dogs.

The test object is tested in accordance with the client's wishes within the framework of the applicable IFVBESA conditions for awarding quality seals. In principle, seals of approval are awarded in three categories depending on the significance of the test results, taking into account all tests of a project. The purpose of the test object is to determine whether its application can harmonise and neutralise the above-mentioned stresses from the typical environmental influences and, as a result, harmonise or neutralise existing disturbances, problems, blockages and disharmonies in the energy system of the test subjects (biological system of the animals) and thus replace negative pathological conditions with positive conditions. This will be scrutinised in the following tests commissioned for this project.

Research project description

The purpose of the test is to prove the functionality of the test object by means of test results obtained by subjecting the test persons to a BESA basic test in a BEFORE measurement and then connecting and testing them with the test object (Quantum Upgrade) in the AFTER measurement.

- The BEFORE measurements are carried out without the test object
- The AFTER measurements are carried out with the test object

The question for each AFTER measurement was: "Is the test object suitable and able to harmonise or neutralise the perceived stressful effects on the animals' energy-informative system from the BEFORE measurements?"

The appropriately designed tests should provide information on this by comparing the BEFORE measurements without the test object with the test results of the AFTER measurements to be carried out using the test object.

Further fundamental questions of this research:



1. Can the technology of the test object have a positive constructive and life-promoting influence on the effects of the stress factors mentioned on the HPA axis and on the hormonal markers mentioned such as melanin and melatonin in dogs?
2. is a measurable relief of chronic stress possible through targeted application of the technology of the test object?

The client's concern is to determine whether the test object, the "Quantum Upgrade", as noted in the product description, is suitable for harmonising the disturbances, problems, blockages, disharmonies in the meridian system of the test person (biological object-animals) resulting from the PREVIOUS measurements.

General information on the information transfer of the test object

Information is transferred from the hyperspace of the test object to the hyperspace of biological objects (humans, animals, plants). From there, the information reaches the reference space or energy space via so-called interaction channels. This is an amalgamation of all organs and forms of energy in the biological object. This is where the information from the programme can be dynamically realised and thus change current states. The changes can manifest themselves in the form of neutralisation or harmonisation of disorders, the resolution of problems, blockages and disharmony.

Conditions:

The corresponding BESA tests are carried out in the IFVBESA premises under laboratory conditions, at room temperature of 20°Celsius, on natural wood flooring. Before the BESA tests, the test subjects are generally desweathed (made fit for testing) or their suitability for testing is scrutinised. As the test subjects are animals, the animals are tested using a so-called surrogate (full replacement for the animals). The surrogate is another human (animal owner, animal hair, animal photo), which is used to test the animal's meridian system.

The corresponding DF microscopies are carried out under laboratory conditions at room temperature of 20°Celsius.

Pos.1 BESA 1 Basic test (bioenergetic status) on the test subjects (animals)

Pos.2 BESA testing when the test subjects (animals) are confronted with the test object

Pos.3 Evaluation of the results in the project and summary in a corresponding report according to the sample

Procedure and specifications for implementation

1. **basic BESA measurement of the test subjects (animals)** at all previously determined measuring points (TING points of the surrogate) serve to determine the actual state. The results are determined exactly according to the BESA specifications and documented using the BESA graphs.
2. **activation of the test object test objekt**



- 2.1. When the test object is activated, it is applied or activated according to the client's specifications.
- 2.2. The test subjects are brought into contact with the test object via quantum entanglement. The measurement points mentioned under point 1 are measured in the same sequence and duration to determine the current energy state. The results are determined exactly according to the BESA specifications and documented using the BESA graphs.

Test procedure

BESA 1 testing BASIC BEFORE as status

In the first step, a basic bioenergetic test (bioenergetic status) is carried out on the meridian end points (TING points of the surrogate) of the test subjects (animals).

Objective: To create a basic test (status) to represent the initial energetic situation for all further BESA tests.

BESA 2 testing AFTER, after the respondent has been confronted with the test object

In the second BESA test, the test subjects are brought into contact with the test object via quantum entanglement or the test object is activated in this way via the measuring circuit in relation to the respective pets.

Now the question is: How does the meridian system of the test subjects react as a surrogate for the animals within the effective range of the test object?

Hormone test procedure

With its methods and applications (BESA individual tests), the IFVBESA actively contributes to the reorganisation of scientific perspectives. Through its research work, it is shaping the paradigm shift towards a holistic view of health and regulation in a special way.

The bioenergy-informative system analysis (BESA) goes far beyond conventional, material test procedures. It records the regulatory processes on an energy-informative level and thus integrates the quantum-physical reality of the body.

Energy-informative regulation is primary, not secondary

Modern scientific fields such as quantum biology, epigenetics and information medicine are increasingly proving that biological systems are not only controlled by biochemical processes, but are also significantly influenced by consciousness and, as a result, by electromagnetic signals, quantum coherence and bioenergetic fields.

Hormones are far more than biochemical substances - they are also carriers of information on the energy-informational level. They act as mediators between consciousness, body and environment. This means that the bioenergy-informative regulation determines the biochemical reaction, not the other way round.

A conspicuous hormone field on the energy-informative level can already indicate a biochemical imbalance - even before it is measurable on the physical level. Studies and



empirical values from BESA tests show that deviations in these fields are often reflected later in laboratory parameters.

Renowned scientists such as Prof Fritz-Albert Popp and Dr Ulrich Warnke have proven that biological systems react to electromagnetic and coherent light signals. Biophotons, frequencies and fields not only control enzyme activities and cell communication, but even influence DNA.

BESA is based on this science, which is shaping the next generation of medicine: information medicine.

With BESA, objective answers to subjective questions can be found - with repeatable, meaningful and correlating results. Experience reports, case studies and scientific findings show that BESA is an essential complement to conventional diagnostics - often even the decisive key to a holistic approach.

Data sheet on the tested factors

Cortisol

Cortisol is a steroid hormone produced by the adrenal cortex and belongs to the group of glucocorticoids. It plays a central role in the body's stress response and is involved in various physiological processes. Here are the most important functions:

Progesterone

Progesterone is a steroid hormone that plays an important role in both women and men. It is often referred to as the "mother hormone" as it serves as a precursor hormone for the synthesis of other essential steroid hormones such as cortisol, testosterone and oestrogen.

Testosterone

Testosterone is a steroid hormone from the androgen group and plays a central role in both sexes, although it is often known as the "male sex hormone". It is produced in both men and women, but in different quantities and with slightly different functions.

Estriol

Estriol (E3) is one of the three main oestrogens in the human body (alongside estradiol (E2) and estrone (E1)) and is regarded as the "weakest oestrogen". It plays a special role in the formation of the internal and external mucous membranes, in reproduction and in hormonal balance in women, but is also relevant in men, albeit in smaller quantities.

Estradiol

Estradiol (E2) is the most biologically active and strongest of the three main oestrogens (alongside estrone (E1) and estriol (E3)). It plays a central role in both women and men, particularly in hormonal balance, reproduction and general health.

DHEA

DHEA is a steroid hormone that is mainly produced in the adrenal cortex, but also to a lesser extent in the gonads (ovaries and testicles) and in the brain. It is one of the most abundant steroid hormones in the human and animal body and is a precursor for the production of androgens (e.g. testosterone) and oestrogens.



What is the thyroid gland?

The thyroid gland is a butterfly-shaped gland located in the front of the neck below the larynx. It is a central component of the endocrine system and produces hormones that regulate numerous processes in the body, including metabolism, energy production and growth. It is like an external sensor to our environment.

Melanin

Melanin is a pigment found in the skin, hair and eyes. It is produced in specialised cells called melanocytes.

Function: Protection from UV radiation: Melanin absorbs UV rays and thus protects the skin from DNA damage caused by sunlight. It determines the individual skin, hair and eye colour. As a radical scavenger, it protects the cells from oxidative stress.

Special feature:

Melanin also has an energy-informative significance and is increasingly being researched in science as a bridge between physical and energetic existence (e.g. protection against electromagnetic fields).

Melatonin

Melatonin is a naturally occurring hormone that is produced primarily in the pineal gland in the brain and plays a central role in regulating the sleep-wake cycle. It is primarily known for promoting sleep and synchronising the circadian rhythm by signalling to the body when it is time to sleep and when it is time to wake up. In a spiritual context, the pineal gland is often referred to as 'the third eye' and is considered a centre for intuition, consciousness and spiritual perception. The pineal gland is also the place where melatonin is produced and therefore melatonin plays a special role in spiritual understanding.

5-HMF or 5-Hydroxymethylfurfural

This is an organic compound that is formed from sugar sources through thermal or acidic decomposition. It is a furanoid compound found in many natural substances, such as honey, coffee, fruits and certain sugar products that have been heated.

In medical research in particular, 5-HMF has potential antioxidant and anti-inflammatory properties that make it a top topic of research in the field of health and medicine. Oxidative and nitrosative stress play an important role in the development of many chronic diseases, 5-HMF serves in this context as a marker for the extent of this stress.

AKG or Alphaketoglutarate

Alphaketoglutarate (AKG) is an important compound in human metabolism and plays a central role in the citric acid cycle (also known as the Krebs cycle), which supports energy production in cells. AKG is used as a kind of intermediate in the conversion of amino acids and carbohydrates into energy. It is also involved in the synthesis of glutamate, an important neurotransmitter.

AKG as a marker for oxidative stress provides information on the extent to which a substance or a technology (in this case the quantum technology of the test object in question) is able to reduce oxidative stress in order to verify the improvement of cell functions. The relationship



between AKG and oxidative stress is particularly relevant as it plays a role in the detoxification process of cells and can help to minimise free radical damage.

Methylene blue

Methylene blue is a chemical molecule that plays a role in various medical and scientific applications. In this study, it is an interesting aspect in the context of research on oxi- and nitro-stress in its capacity as a marker. In conjunction with melanin and melatonin, the association lies in its ability to act as an antioxidant and protective agent that helps the body defend itself against stressors.

Similarities to melanin and melatonin:

Protective effect: Like melanin and melatonin, methylene blue could play a protective role against oxidative stress and free radical damage. Melanin protects the skin from UV radiation, while melatonin plays an antioxidant role in the brain. Methylene blue appears to have a similar protective effect on cells.

Neuroprotection: All three substances also have neuroprotective properties, with methylene blue and melatonin being compared in their ability to protect the brain from damage caused by oxidative processes.



Proband 13 Tomasina

Control group

BESA 26 Testing BASIC BEFORE

Male dog: Tomasina, mixed breed

Date of birth: unknown, 2021

Body weight: 35kg

Health condition: silent inflammations, otherwise no health challenges so far

BESA-Test Evaluation P75 4.1.3

from **31-07-2024 to 13:04 – 13:09** (5 minutes) pages 14 until 15

Result: The measurement result indicated in part severe energetic stress at the meridian end points and subsequently on the subordinate metabolic situation of the test person.


100 % in the blue area

Conclusion: As the graphs show, all measurement points are in the deep degenerative blue range (energy deficiency).

These measured values interpret a strong lack of energy at the acupuncture points tested. The comparisons of the BESA graphs confirm the stressful influences on the energy-informative events in the subject's meridian system.



Overview of BESA measuring



BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al





BESA basic test

+++ : Indicator decline > 15 Skt.

++ : Indicator decline 6-15 Skt.


+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)

P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormone scheme - BEFORE

	deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol	+		
Progesterone	+		
Testosteron	+		
Estriol	+		
Estradiol		+	
DHEA	+		
Thyroid gland	+		
Melatonin	+		
Melanin	+		
Methylene blue	+		
5-HMF	+		
5-Hydroxymethylfulfural			
AKG	+		
Alpha-Ketoglutarat			



Cortisol-level

	Morning	Noon	Evening
Cortisol			
Too high		+	
Too low	+		
neutral			+

Electromagnetic interference fields BEFORE

	Yes	no
GE 1 Silicea - strain on the EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 Load on radio transmitter	+	



BESA 27 Testing AFTER

BESA-Test Evaluation P75 4.1.3

from **12-10-2024 to 21:19 until 21:25** (6 Minuten) pages 18 until 19

Result: In the BESA-NACHHER test, the measurement result shows an approximately constant energy-informative state at the meridian end points or at the energetic state of the test person.

100 in the blue area

Conclusion: As the BESA graphs AFTER show, around 4 weeks after the BESA BEFORE test, all of the test person's measuring points are still in the degenerative, i.e. partly deep in the energy-depleted range.

The BESA test AFTER shows a drop in the performance of the energy situation in the subject's meridian system compared to the BESA 1 tests BEFORE.

The comparisons of the BESA graphs confirm the deregulatory change in the stress factors on the meridian system.


State of health AFTER:

- silent inflammations still present
- otherwise no health challenges so far

See also the corresponding values from the BESA individual tests on pages 25 and 26 as well as the personal feedback form from the pet owners.



Overview of BESA measuring



BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al






BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormone scheme - AFTER

	Deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol	+		
Progesterone	+		
Testosteron	+		
Estriol		+	
Estradiol		+	
DHEA			+
Thyroid gland	+		
Melatonin	+		
Melanin	+		
Methylene blue	+		
5-HMF 5-Hydroxymethylfulfural		+	
AKG Alpha-Ketoglutarat			+



Cortisol-level


	Morning	Noon	Evening
Cortisol			
Too high			+
Too low	+		
neutral		+	

Electromagnetic interference fields AFTER

	Yes	no
GE 1 Silicea load d. EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 Belastung d. Funksender	+	




Feedback form on the experience with the test object



Collection of essential data and research results with regard to the effectiveness of the test object specified in the project description and project design on the energy-informational and physical system of the respective dog.

The animal owner then described in detail all positive (life-enhancing) and negative (life-hindering) experiences on a scale of 0-5.

- | | |
|---------------------------|---|
| Category 1 (1-3) | no change - slight temporary effects |
| Category 2 (4-6) | slight changes - noticeable short phases of improvement |
| Category 3 (7-9) | moderate improvements - longer phases of freedom from symptoms |
| Category 4 (10-12) | strong improvements - lasting freedom from symptoms |
| Category 5 (13) | complete regulation or elimination/elimination of problems, symptoms, pathogens |





Proband 14 Sammy 2

Control group

BESA 28 Testing BASIC BEFORE

Male dog: Sammy 2, big poodle

Date of birth: 09/09/2016

Body weight: 23kg

Health condition: no major health challenges

BESA Test Evaluation P75 4.1.3

fom **31-07-2024 to 13:10 – 13:15** (5 minutes) pages 23 until 24

Result: The measurement result indicated in part severe energetic stress at the meridian end points and subsequently on the subordinate metabolic situation of the test person.


100 % in the blue area

Conclusion: As the graphs show, all measurement points are in the blue area (energy deficiency), some of which are deeply degenerative.

These measured values interpret a strong lack of energy at the acupuncture points tested. The comparisons of the BESA graphs confirm the stressful influences on the energy-informative events in the subject's meridian system.



Overview of BESA measuring



- Red: values with indicator decline
Decline greater than 2 ()
- Yellow: high values without indicator decline
Values over 70 ()
- Blue: low values
Values lower 50 (100%)
- Green: standard values
Values between 50 and 70 ()


BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.


T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.) Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al






BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormone scheme - BEFORE

	Deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol	+		
Progesterone	+		
Testosteron			+
Estriol		+	
Estradiol	+		
DHEA			+
Thyroid gland	+		
Melatonin	+		
Melanin	+		
Methylene blue	+		
5-HMF	+		
5-Hydroxymethylfulfural			
AKG	+		
Alpha-Ketoglutarat			



Cortisol-level

	Morgen	Mittag	Abend
Cortisol			
zu hoch	+		+
zu tief			
neutral		+	

Electromagnetic interference fields BEFORE

	yes	no
GE 1 Silicea load d. EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 Load on radio transmitter	+	



BESA 29 Testing AFTER

BESA-Test Evaluation P75 4.1.3

from **14-10-2024 to 19:56 until 20:01** (5 minutes) pages 27 until 28

Result: In the BESA-NACHHER test, the measurement result shows an approximately constant energy-informative state at the meridian end points or at the energetic state of the test person.

95 % in the blue area

5 % in the green area

Conclusion: As the graphs show, around 4 weeks after the test subject has been confronted with the test object, all measurement points are in the degenerative, i.e. deeply de-energised range. The red measured values even indicate pathological blockages.

The BESA test AFTER shows a drop in the performance of the energy situation in the subject's meridian system compared to the BESA 1 tests BEFORE.


All measured values were partly in the low to red measurement range.

Comparisons of the BESA graphs confirm the deregulatory change in the stress factors on the meridian system.

State of health AFTER: unchanged



Übersichtsdiagramm der BESA-Messungen:



BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.) Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0	10	20	30	40	50	60	70	80	90	100			
											Lunge	Rechts	Links
											Lu 1 (11.) Parenchym	54/1	25/0
											Haut	Rechts	Links
											Ha 1 (1.) Unterkörper	13/0	22/0
											Dickdarm	Rechts	Links
											Di 1 (1.) Colon transv./sigm.	26/0	26/0
											Bindegewebsdeg.	Rechts	Links
											BD 1 (1.) Bauch	18/0	33/1

Element: Ma - ND - PM - OD

0	10	20	30	40	50	60	70	80	90	100			
											Magen	Rechts	Links
											Ma 1 (45.) Pylorus/Körper	14/0	11/0
											Nervendeg.	Rechts	Links
											ND 1 (1.) Lumb./Sakral.	39/0	42/0
											Pankreas-Milz	Rechts	Links
											PM 1 (1.) Eiw./w.Pulpa	18/0	29/0
											Organdeg.	Rechts	Links
											OD 1 (1.) Bauchr./Becken	33/0	39/1

Element: Bl - Ly - Ni - Al

0	10	20	30	40	50	60	70	80	90	100			
											Blase	Rechts	Links
											Bl 1 (67.) Körper	37/0	32/0



BESA-Basismessung:

+++ Zeigerabfall > 15 Skt.

++ Zeigerabfall 6-15 Skt.

+ Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)

P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al										
0	10	20	30	40	50	60	70	80	90	100
Lymph										
Ly 1 (1.)										
Tons.Palat.										
Rechts										
Links										
50/0										
27/1										
0	10	20	30	40	50	60	70	80	90	100
Niere										
Ni 1 (1.)										
Becken										
Rechts										
Links										
13/0										
15/0										
0	10	20	30	40	50	60	70	80	90	100
Allergie										
Al 1 (1.)										
unt.Körperab.										
Rechts										
Links										
40/0										
30/1										
Element: Gbl - GD - Le - fD										
0	10	20	30	40	50	60	70	80	90	100
Gallenblase										
Gbl 1 (44.)										
Duct.choled./hep.										
Rechts										
Links										
20/0										
25/0										
0	10	20	30	40	50	60	70	80	90	100
Gelenkdeg.										
GD 1 (1.)										
unt.Extrem.										
Rechts										
Links										
15/0										
16/1										
0	10	20	30	40	50	60	70	80	90	100
Leber										
Le 1 (1.)										
Zentralvenen										
Rechts										
Links										
21/0										
16/0										
0	10	20	30	40	50	60	70	80	90	100
fettige Deg.										
fD 1 (1.)										
Bauchraum										
Rechts										
Links										
41/1										
37/0										
Element: He - Dü										
0	10	20	30	40	50	60	70	80	90	100
Herz										
He 1 (9.)										
Pulm.kl./Aortenkl.										
Rechts										
Links										
25/1										
45/0										
0	10	20	30	40	50	60	70	80	90	100
Dünndarm										
Dü 1 (1.)										
Ileum										
Rechts										
Links										
36/1										
33/0										
Element: Kr - 3E										
0	10	20	30	40	50	60	70	80	90	100
Kreislauf										
Kr 1 (9.)										
SMP Arterien										
Rechts										
Links										
38/0										
24/0										
0	10	20	30	40	50	60	70	80	90	100
Endokrinum										
3E 1 (1.)										
Keimdr./NNI										
Rechts										
Links										
39/0										
25/0										



Hormone scheme - AFTER

	Deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol	+		
Progesterone	+		
Testosteron			+
Estriol		+	
Estradiol	+		
DHEA			+
Thyroid gland	+		
Melatonin	+		
Melanin	+		
Methylene blue	+		
5-HMF 5-Hydroxymethylfulfural	+		
AKG Alpha-Ketoglutarat			+



Cortisol-level


	Morning	Noon	Evening
Cortisol			
Too high	+		+
Too low			
neutral		+	

Electromagnetic interference fields AFTER

	Yes	no
GE1 Silicea - strain on the EMSF	+	
GE 2 Electromagnetic charging		+
GE 3 Load on radio transmitter	+	




Feedback form on the experience with the test object



Collection of essential data and research results with regard to the effectiveness of the test object specified in the project description and project design on the energy-informational and physical system of the respective dog.

The animal owner then described in detail all positive (life-enhancing) and negative (life-hindering) experiences on a scale of 0-5.

Category 1 (1-3)	no change - slight temporary effects
Category 2 (4-6)	slight changes - noticeable short phases of improvement
Category 3 (7-9)	moderate improvements - longer phases of freedom from symptoms
Category 4 (10-12)	strong improvements - lasting freedom from symptoms
Category 5 (13)	complete regulation or elimination/elimination of problems, symptoms, pathogens





Proband 15 Flocke

Control group

BESA 30 Testing BASIC BEFORE

Female: Flocke, Labrador

Date of birth: 31/08/2014

Body weight: 20kg

Health condition: no significant health challenges, certain sadness taken over by pet ownership.

BESA-Test Evaluation P75 4.1.3

from **12-10-2024 to 22:08 – 22:12** (4 minutes) pages 36 until 39

Results: The measurement result indicated moderate energetic stress at the meridian end points and subsequently on the subject's subordinate metabolic situation.

92 % in the blue area

7 % in the green area


1 % in the Transition area

Conclusion: As the graphs show, 92% of the measurement points are in the moderate - degenerative blue range (energy deficiency).

These measured values interpret a corresponding energy deficiency at the acupuncture points tested. The comparisons of the BESA graphs confirm the stressful influences on the energy-informative events in the subject's meridian system.



Overview of BESA measuring



BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al






BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormone scheme - BEFORE

	deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol			+
Progesterone		+	
Testosteron	+		
Estriol		+	
Estradiol	+		
DHEA			+
Thyroid gland	+		
Melatonin	+		
Melanin			
Methylene blue	+		
5-HMF 5-Hydroxymethylfulfural	+		
AKG Alpha-Ketoglutarat			+



Cortisol-level

	Morning	Noon	Evening
Cortisol			
Too high			
too low			
neutral	+	+	+

Electromagnetic interference fields BEFORE

	Yes	no
GE 1 Silicea - load EMSF	+	
GE 2 Electromagnetic charging		+
GE 3 Load on radio transmitter	+	



BESA 31 Testing AFTER

BESA-Test Evaluation P75 4.1.3

from **09-11-2024 to 13:53 until 13:57** (4 minutes) pages 36 until 37

Result: In the BESA-NACHHER test, the measurement result once again shows a deterioration in the energy-informative state at the meridian end points or in the energetic state of the test person.

97 % in the blue area

2 % in the red area


1 % in the yellow transition area

Conclusio: As the graphs show, approximately 4 weeks after confrontation of the test subject with the test object, all measurement points are in the degenerative, i.e. low-energy range. The red measurement values even indicate pathological blockages. The BESA test AFTER shows a drop in performance of the energy situation in the meridian system of the test subject compared to the BESA 1 tests BEFORE. All measurement values were partly in the low to red measurement range. The comparisons of the BESA graphs confirm the deregulatory change of the stress factors on the meridian system.

State of health AFTER: no changes certain sadness still present.



Overview of BESA measuring



BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al






BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormone scheme - AFTER

	deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol			+
Progesterone		+	
Testosteron	+		
Estriol		+	
Estradiol	+		
DHEA			+
Thyroid gland	+		
Melatonin	+		
Melanin			+
Methylene blue	+		
5-HMF	+		
5-Hydroxymethylfulfural			
AKG	+		
Alpha-Ketoglutarat			



Cortisol-level


	Morning	Noon	Evening
Cortisol			
Too high			
Too low			
neutral	+	+	+

Electromagnetic interference fields AFTER

	yes	no
GE 1 Silicea loads to EMSF	+	
GE 2 Electromagnetic charging		+
GE 3 radio transmitter	+	




Feedback form on the experience with the test object



Collection of essential data and research results with regard to the effectiveness of the test object specified in the project description and project design on the energy-informational and physical system of the respective dog.

The animal owner then described in detail all positive (life-enhancing) and negative (life-hindering) experiences on a scale of 0-5.

- | | |
|---------------------------|---|
| Category 1 (1-3) | no change - slight temporary effects |
| Category 2 (4-6) | slight changes - noticeable short phases of improvement |
| Category 3 (7-9) | moderate improvements - longer phases of freedom from symptoms |
| Category 4 (10-12) | strong improvements - lasting freedom from symptoms |
| Category 5 (13) | complete regulation or elimination/elimination of problems, symptoms, pathogens |





Proband 16 Cora

Control group

BESA 32 Testing BASIC BEFORE

Female: Cora, Malteser

Date of birth: 7.08.2022

Body weight: approx. 5.3kg

State of health: heavily burdened

lack of energy, severe coordination problems, blood from the ears, pain, blood sample taken difficult, seems barely able to survive

BESA-Test Evaluation P75 4.1.3

from **12-10-2024 to 21:31 – 21:39** (8 minutes) pages 41 until 42

Result: The measurement result indicated severe energetic stress at the meridian end points and subsequently on the subject's subordinate metabolic situation.


100 % in the blue area

Conclusion: As the graphs show, all measurement points are in the deep degenerative blue area (energy deficiency).

These measured values interpret a strong lack of energy at the acupuncture points tested. The comparisons of the BESA graphs confirm the stressful influences on the energy-informative events in the subject's meridian system.



Overview of BESA measuring



- Red: values with indicator decline
Decline greater than 2 (%)
- Yellow: high values without indicator decline
Values over 70 (%)
- Blue: low values
Values lower 50 (100%)
- Green: standard values
Values between 50 and 70 (%)

BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al






BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormone scheme - BEFORE

	deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol		+	
Progesterone	+		
Testosteron			+
Estriol	+		
Estradiol		+	
DHEA		+	
Thyroid gland		+	
Melatonin	+		
Melanin	+		
Methylene blue	+		
5-HMF	+		
5-Hydroxymethylfulfural			
AKG	+		
Alpha-Ketoglutarat			



Cortisol-level

	Morning	Noon	Evening
Cortisol			
Too high			+
Too low		+	
neutral	+		

Electromagnetic interference fields BEFORE

	yes	nein
GE 1 Silicea Loads of EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 radio transmitter	+	



BESA 33 Testing BASIC AFTER

BESA-Test Evaluation P75 4.1.3

from **25-10-2024 to 13:03 until 13:11** (8 minutes) Seite 45 until 46

Result: The measurement result in the BESA-NACHHER test shows a slight improvement in the meridian end points or in the energetic state of the test person.

85 % in the blue area

15 % in the green area

Conclusio: As the graphs show, around 20 weeks later, 85% of the measured values are still in the degenerative, blue range. Nevertheless, 15% improved into the optimal green range.

To summarise, the BESA test AFTER shows a slight improvement in the energy situation in the subject's meridian system compared to the BESA 1 tests BEFORE.

The comparisons of the BESA graphs confirm the change or slight harmonisation of the stress factors in the meridian system.

State of health AFTER: unchanged


Short-term improvement

- still heavily burdened
- Lack of energy
- severe coordinative and cognitive disorders
- Blood from the ears
- generalised pain
- Blood sampling still difficult
- still seems barely able to survive

See also the corresponding values from the BESA individual tests on pages 52 and 53 as well as the personal feedback form from the pet owners.



Overview of BESA measuring



BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al






BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormon Schema - NACHHER

	Deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol	+		
Progesteron	+		
Testosterone			+
Estriol			+
Estradiol			+
DHEA	+		
Thyroid gland		+	
Melatonin	+		
Melanin	+		
Methylene blue	+		
5-HMF	+		+
5-Hydroxymethylfulfural			
AKG			+
Alpha-Ketoglutarat			



Cortisol-level


	Morning	Noon	Evening
Cortisol			
Too high		+	+
Too low			
neutral	+		

Electromagnetic interference fields AFTER

	ja	nein
GE 1 Silicea - Load EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 Load on radio transmitter	+	




Feedback form on the experience with the test object



Collection of essential data and research results with regard to the effectiveness of the test object specified in the project description and project design on the energy-informational and physical system of the respective dog.

The animal owner then described in detail all positive (life-enhancing) and negative (life-hindering) experiences on a scale of 0-5.

- | | |
|---------------------------|---|
| Category 1 (1-3) | no change - slight temporary effects |
| Category 2 (4-6) | slight changes - noticeable short phases of improvement |
| Category 3 (7-9) | moderate improvements - longer phases of freedom from symptoms |
| Category 4 (10-12) | strong improvements - lasting freedom from symptoms |
| Category 5 (13) | complete regulation or elimination/elimination of problems, symptoms, pathogens |





Proband 17 Paco Control Group

BESA 34 Testing BASIC AFTER

Female: Paco, Golden Doodle

Date of birth: 01/08/2017

Body weight: 46kg

Health condition: no significant health challenges, slightly overweight

BESA Test Evaluation P75 4.1.3

from **12-10-2024 to 20:37 – 20:42** (5 minutes) pages 50 until 51

Result: The measurement result indicated in part slight energetic stress at the meridian end points and subsequently on the subordinate metabolic situation of the test person.

82 % in the blue area

12 % in the green area

1% in the yellow transition area


Conclusio: As the graphs show, only 82% of the measurement points are in the degenerative blue area (energy deficiency).

These measured values interpret a moderate energy deficiency at the acupuncture points tested.

The comparisons of the BESA graphs confirm the stressful influences on the energy-informative events in the subject's meridian system.



Overview of BESA measuring



BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al





BESA basic test

+++ : Indicator decline > 15 Skt.

++ : Indicator decline 6-15 Skt.


+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)

P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormone scheme - BEFORE

	Deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol	+		
Progesterone	+		
Testosteron		+	
Estriol			+
Estradiol			+
DHEA			+
Thyroid gland	+		
Melatonin	+		
Melanin	+		
Methylene blue	+		
5-HMF 5-Hydroxymethylfulfural	+		
AKG Alpha-Ketoglutarat	+		



Cortisol-level

	Morning	Noon	Evening
Cortisol			
Too high			+
Too low	+		
neutral		+	

Electromagnetic interference fields

	Yes	no
GE 1 Silicea - strain on the EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 Belastung d. Funksender	+	



BESA 35 Testing BESA AFTER

BESA-Test Evaluation P75 4.1.3

from **09-11-2024 to 12:00 until 12:06** (6 minutes) pages 54 until 55

Result: The measurement result in the BESA test AFTER shows a strong deterioration at the meridian end points or in the energetic state of the test person.

100 % in the blue area

Conclusio: As the graphs show, approximately 4 weeks later in the BESA test AFTER the test person, all measurement points are in the blue, deregulated range. This means that 12% of the measured values, which were still green in the BESA 1 test BEFORE, slipped into the degeneration (energy deficiency).


The BESA test shows a significant deterioration of the energy situation in the subject's meridian system compared to the BESA 1 tests BEFORE.

The comparisons of the BESA graphs confirm the change and harmonisation of the stress factors in the meridian system.

Health status AFTER: no significant changes compared to BESA 1 testing BEFORE



Overview of BESA measuring



- Red: values with indicator decline
Decline greater than 2 ()
- Yellow: high values without indicator decline
Values over 70 ()
- Blue: low values
Values lower 50 (100%)
- Green: standard values
Values between 50 and 70 ()

BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al






BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormone scheme - AFTER

	deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol			+
Progesterone	+		
Testosteron			+
Estriol			+
Estradiol	+		
DHEA	+		
Thyroid gland	+		
Melatonin			+
Melanin	+		
Methylene blue	+		
5-HMF 5-Hydroxymethylfulfural	+		
AKG Alpha-Ketoglutarat	+		



Cortisol-level


	Morning	Noon	Evening
Cortisol			
Too high			
Too low			
neutral	+	+	+

Electromagnetic interference fields

	Yes	no
GE 1 Silicea - strain on the EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 Load on radio transmitter		+




Feedback form on the experience with the test object



Collection of essential data and research results with regard to the effectiveness of the test object specified in the project description and project design on the energy-informational and physical system of the respective dog.

The animal owner then described in detail all positive (life-enhancing) and negative (life-hindering) experiences on a scale of 0-5.

Category 1 (1-3)	no change - slight temporary effects
Category 2 (4-6)	slight changes - noticeable short phases of improvement
Category 3 (7-9)	moderate improvements - longer phases of freedom from symptoms
Category 4 (10-12)	strong improvements - lasting freedom from symptoms
Category 5 (13)	complete regulation or elimination/elimination of problems, symptoms, pathogens





Proband 18 Frimousse Control group

BESA 36 Testing BASIC BEFORE

Male dog: Frimousse vom Tullnerbach, Hovawart

Date of birth: 10/02/2010

Body weight: 46kg

State of health: lack of energy, tired, joint problems (arthrosis), mucus

BESA-Test evaluation P75 4.1.3

from **12-10-2024 to 20:49 – 20:55** (6 minutes) pages 63 to 65

Result: The measurement result indicated slight energetic stress at the meridian end points and subsequently on the subject's subordinate metabolic situation.


100 % in the blue area

Conclusio: As the graphs show, all measurement points are in the degenerative blue range (energy deficiency).

These measured values interpret a moderate energy deficiency at the acupuncture points tested. The comparisons of the BESA graphs confirm the stressful influences on the energy-informative events in the subject's meridian system.



Overview of BESA measuring



BESA basic test


+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.)

Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al





BESA basic test

+++ : Indicator decline > 15 Skt.

++ : Indicator decline 6-15 Skt.


+: Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)

P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.)


Standard values: (50-70 Skt.)





Hormon Schema - VORHER

	Mangel	Überschuss	Harmonie
	Unterfunktion	Überfunktion	
Cortisol	+		
Progesteron	+		
Testosteron	+		
Estriol	+		
Estradiol		+	
DHEA		+	
Schilddrüse		+	
Melatonin	+		
Melanin	+		
Methylenblau	+		
5-HMF	+		
5-Hydroxymethylfulfural			
AKG	+		
Alpha-Ketoglutarat			



Cortisol-level

	Morning	Noon	Evening
Cortisol			
Too high	+		
Too low			+
neutral		+	

Electromagnetic interference fields

	Yes	no
GE 1 Silicea strain on the EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 radio transmitter	+	



BESA 37 Testing AFTER

BESA-Test evaluation P75 4.1.3

from **12-12-2024 to 12:30 until 12:36** (6 minutes) pages 63 until 64

Result: The measurement result in the BESA test AFTER shows a slight improvement at the meridian end points or in the energetic state of the test person.

100 % in the blue area

Conclusio: As the graphs show, around 8 weeks later in the BESA test AFTER, all measurement points are still in the blue and degenerative range (energy deficiency).

The BESA test shows a slight improvement in the energy situation in the subject's meridian system compared to the BESA 1 tests BEFORE.



Comparisons of the BESA graphs confirm the change and harmonisation of the stress factors in the meridian system.

State of health AFTER: no significant changes compared to BESA 1 testing BEFORE

- Lack of energy
- Tired
- Joint problems (arthrosis)
- Mucous



Overview of BESA measuring




BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.


T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)

D: Degeneration (< 50 Skt.) Standard values: (50-70 Skt.)


Element: lu - sk - li - ct



Element: st - nd - ps - od



Element: bl - ly - ki - al





BESA basic test

+++ : Indicator decline > 15 Skt.
++ : Indicator decline 6-15 Skt.
+ : Indicator decline 3-5 Skt.

T: Total inflammation (>89 Skt.)
P: Partial inflammation (70-89 Skt.)


D: Degeneration (< 50 Skt.) Standard values: (50-70 Skt.)

Element: bl - ly - ki - al													
0	10	20	30	40	50	60	70	80	90	100	Lymph	Right	Left
											Ly 1 (1.) Tons.Palat.	41/1	44/1
0	10	20	30	40	50	60	70	80	90	100	Kidney	Right	Left
											Ki 1 (11.) pelvis	38/0	41/1
0	10	20	30	40	50	60	70	80	90	100	Allergy	Right	Left
											Al 1 (1.) Lower body	44/1	39/0
Element: ga - jd - li - gd													
0	10	20	30	40	50	60	70	80	90	100	Gall	Right	Left
											Ga 1 (44.) Duct.choled./hep.	42/0	41/0
0	10	20	30	40	50	60	70	80	90	100	Joint deg.	Right	Left
											Jd 1 (1.) lower extremities	45/1	43/0
0	10	20	30	40	50	60	70	80	90	100	Liver	Right	Left
											Li 1 (1.) Central veins	43/0	41/0
0	10	20	30	40	50	60	70	80	90	100	Greasy deg.	Right	Left
											Gd 1 (1.) Abdomen	37/0	40/0
Element: he - si													
0	10	20	30	40	50	60	70	80	90	100	Heart	Right	Left
											He 1 (9.) Pulm.sm./Aortic valves	46/1	45/1
0	10	20	30	40	50	60	70	80	90	100	Small intestine	Right	Left
											Si 1 (1.) Ileum	37/0	44/1
Element: bc - 3e													
0	10	20	30	40	50	60	70	80	90	100	Blood circulation	Right	Left
											Bc 1 (9.) SMP Arteries	29/0	40/1
0	10	20	30	40	50	60	70	80	90	100	Endocrine	Right	Left
											3e 1 (1.) Gonads/NNI	44/0	38/0



Hormone scheme - AFTER

	deficiency	Surplus	Harmony
	Hypofunction	Hyperfunction	
Cortisol	+		
Progesterone	+		
Testosteron	+		
Estriol	+		
Estradiol		+	
DHEA		+	
Thyroid gland		+	
Melatonin			+
Melanin	+		
Methylene blue	+		
5-HMF 5-Hydroxymethylfulfural	+		
AKG Alpha-Ketoglutarat	+		



Cortisol-level


	Morning	Noon	Evening
Cortisol			
Too high	+		
Too low			+
neutral		+	

Electromagnetic interference fields

	Ja	nein
GE 1 Silicea - strain on the EMSF	+	
GE 2 Electromagnetic charging	+	
GE 3 Load on radio transmitter	+	




Feedback form on the experience with the test object



Collection of essential data and research results with regard to the effectiveness of the test object specified in the project description and project design on the energy-informational and physical system of the respective dog.

The animal owner then described in detail all positive (life-enhancing) and negative (life-hindering) experiences on a scale of 0-5.

- | | |
|---------------------------|---|
| Category 1 (1-3) | no change - slight temporary effects |
| Category 2 (4-6) | slight changes - noticeable short phases of improvement |
| Category 3 (7-9) | moderate improvements - longer phases of freedom from symptoms |
| Category 4 (10-12) | strong improvements - lasting freedom from symptoms |
| Category 5 (13) | complete regulation or elimination/elimination of problems, symptoms, pathogens |






The results of the BESA tests at a glance

Proband 13 KG

Bitch TB


BESA 1 testing BASIC BEFORE as energetic status

Overview of BESA measuring



BESA 2 Testing AFTER

Overview of BESA measuring




Proband 14 KG

Male dog SG

BESA 1 testing BASIC BEFORE as energetic status

Übersichtsdiagramm der BESA-Messungen:



BESA 2 test AFTER, after confrontation of the subject with the "empty object"

Overview of BESA measuring




Proband 15 KG

Bitch FE


BESA 1 testing BASIC BEFORE as energetic status

Overview of BESA measuring



BESA 2 test AFTER, after confrontation of the subject with the "empty object"

Overview of BESA measuring




Proband 16 KG

Bitch CB


BESA 1 testing BASIC BEFORE as energetic status

Overview of BESA measuring



BESA 2 test AFTER, after confrontation of the subject with the "empty object"

Overview of BESA measuring




Proband 17 KG

Male dog PE

BESA 1 testing BASIC BEFORE as energetic status

Overview of BESA measuring



BESA 2 test AFTER, after confrontation of the subject with the "empty object"

Overview of BESA measuring






Proband 18 KG

Male dog FB


BESA 1 testing BASIC BEFORE as
energetic status

Overview of BESA measuring



BESA 2 test AFTER, after
confrontation of the subject with
the "empty object"

Overview of BESA measuring





The result of an interdisciplinary perspective on the regulation of chronic stress in dogs

Effect of a quantum technology as a test object using bioenergy-informative system analysis – BESA

As part of this animal-dog study, we investigated the effect of a quantum technology on energy-informative behaviour (in the meridian system) on the health parameters of the animals as test subjects. With the help of bioenergy-informative system analysis (BESA for short), we investigated whether life-promoting changes in the energy-informative status (BESA) of the treated dogs could be detected. In particular, the question was whether a regulation of the factors mentioned, such as energy-informative status, HPA axis (stress axis) or hormone status, can be detected within the energy-informative control circuits or biological structures. Previous studies and their results already indicated that the technology of the test object promotes the energy-informative balance of the organism, stabilises the blood environment and modulates inflammatory processes.

Stressors as the main influencing factors

A remarkable aspect of previous research projects showed evidence of the interaction between emotional stress of the animal owners and the physical health of the animals. A transfer of emotional stressors ("referral") was also clearly manifested in the blood counts and physiological (cell structure) parameters (tested using BESA) of the dogs.

In addition, the inadequate digestion of meat-based diets due to stress-related digestive insufficiency led to further stress in the area of the gut-lung-skin axis.

The influence of stress on animals, regardless of whether it is unconscious stress (traumas, imprints, conflict-based attachments, etc.) or physical stress (e.g. also EMSF) plays a decisive role in relation to the so-called HPA axis (stress axis). The hormonal regulatory systems and mechanisms of cortisol, progesterone, testosterone, DHEA, melanin and melatonin, for example, were particularly important and highly relevant. In fact, there were numerous indications that animals, like humans, react to stress and environmental factors that go far beyond the obvious physical stresses (see the abstract on the HPA axis from the P79 Men's H.E.A.L 360 Underwear study).

Direct impact of the stressors on the test subjects

The hypothalamic-pituitary-adrenal axis (HPA axis) is the central mechanism by which the body responds to stress. This current project shows that chronic or unconscious stress in animals leads to an overstimulation of this axis, which in the long term increases the release of cortisol. A sustained increase in cortisol not only leads to systemic inflammation, but also weakens the immune system and impairs digestion, which can result in symptoms such as skin diseases or gastrointestinal problems in animals.

Animals, especially pets such as dogs, which are closely connected to the habitat of their owners, are exposed to the same electromagnetic pollution as humans. This includes Wi-Fi, mobile phone radiation and electrical devices, as well as mobile phone masts, smart meters,



LED lighting and much more. Extensive studies (including our own previous studies) have confirmed that electromagnetic interference fields (EMSF) disrupt cell communication and promote oxidative and nitrosative stress. In sensitive animals, this in turn leads to a lack of melanin and melatonin. This in turn often manifests itself in symptoms such as restlessness, sleep disorders or an increased susceptibility to diseases (renal insufficiency, lung, intestinal, liver stress, etc.).

The role of melanin and melatonin in the stress response

In addition to its role as a pigment, melanin in particular also has bioenergy-informative properties that enable the organism to perceive its environment accordingly and that can help to absorb EMSF, among other things, and protect the body from their effects. As can be seen from the present project, a well-regulated melanin system can therefore increase tolerance to such stressors. A weakened melanin system, on the other hand, is a major cause of electrosensitivity.

Melatonin, on the other hand, is primarily produced by the pineal gland. On the one hand, it is crucial for the sleep-wake rhythm, on the other hand, it also has antioxidant and anti-inflammatory properties. Chronic stress and electromagnetic interference fields (EMSF) can impair melatonin production in the pineal gland, which in turn weakens the body's ability to regenerate.

This revealed a further link to animal health

It was plausible for us within this project P75 4.1 on the animal study to question the combination of stress, electromagnetic stress and hormonal deregulations as playing a central role in the observed deregulations. As the project descriptions 1-5 show, the technology of the test object in the experimental group was able to achieve a potential harmonisation of the energy-informative systems compared to the control group by supporting the homeostasis of the HPA axis and consequently the regulation of the hormone structures addressed, particularly melanin and melatonin, as well as general cell communication.

The current results confirm that the quantum technology of the test object enables sustainable physiological and energy-informative regulation in dogs on the one hand and also reduces psychosomatic stress on the other.

The aim of this study was to emphasise the importance of a holistic approach that integrates physical, emotional and energy-informative aspects in order to effectively address chronic stress in animals.

The research perspective here was generally focussed on the extent to which the quantum technology of the test object is able to provide measurable relief for these systems through targeted application.

General information on the test result

Humans, like all biological objects (including animals and plants), are a kind of receiving antenna for environmental information. This is because life, especially that of humans, animals and plants, is fundamentally and exclusively dependent on environmental information. Our organism is biologically very sensitive where natural information (fields) is



located or where this natural information is subject to interactions and fluctuations. The situation is all the more dangerous when such fields of constructive structures are disturbed by various environmental stresses.

For this reason, detected informative electromagnetic interference fields are biologically highly relevant. Any reduction or conversion of these interference fields (ideally to 100 per cent) is biologically very important, in some cases even vital. These information burdens from our primarily artificial environment are only compatible with life if they can be re-adjusted to a natural fluctuation tolerance. Disturbances, problems, blockages and disharmonies in the biological control loop of biological objects, especially in animals, are caused by such disruptive information influences.

Neutralising or harmonising effects were demonstrated in this project P75 4.1.3 to determine the effect of the test object, the "Quantum Upgrade" on animals. The "Quantum Upgrade" was able to neutralise the biologically detrimental effects and impacts of the stress factors tested on the animal test subjects.

The significant ability of the test object to neutralise and harmonise the stress factors tested in this project P75 4.1.3 is hereby demonstrated. The conversion of the tested information into bioenergy information with biological and life-promoting quality is proven with this project.

Authorized Summary

The BESA tests carried out by IFVBESA on the energetic and physical effectiveness of the test object have clearly shown that this test object is able to neutralise or harmonise biologically significant stress factors at the acupuncture points of the test subjects. Using bioenergy-informative system analysis, the effect of the above-mentioned stress factors on the animal test subjects, their meridian systems and their energy-informative biological control circuits was scrutinised and systemically tested at the energy-informative level. The BESA tests BEFORE - AFTER show significant changes at the tested acupuncture points on the meridian system of the test person (animals). The measurement data and their key figures impressively confirm, on the one hand, the stresses caused by the tested factors on the human organism and, on the other hand, illustrate how the deregulating energies are transformed into biocompatible energies inherent in the body after the test object has been applied. From a holistic perspective, it can be assumed that the positive effect on the test subjects - animals - also occurs in other animals. The BESA BEFORE-AFTER comparison with 30 different dogs (test subjects) clearly shows that the positive influence of the test object is actually possible with high precision. All measured values improved significantly from the mostly 100 per cent blue measuring range to the green, mostly 50 sct range (sct = scale value), i.e. the range of optimal measured values. This means that

Optimal regulation dynamics have taken place. According to the IFVBESA, we can clearly speak here of an optimal, significant improvement in the body's own energy situation.

Result



In the BESA AFTER test, the test subjects - animals were each brought into contact with the test object. In contrast to the BESA BEFORE tests, in which the test object was not used, consistently positive measurement results were recorded, indicating that neutralisation or harmonisation had taken place. The regulatory dynamics developed into an optimal effective range.

By demonstrating the energy-informative effectiveness of the "Quantum Upgrade" as a test object to the test subjects - dogs (P13-P18) in this project P75 4.1.3, the requirements for obtaining a BESA seal of approval from the International Association for BESA were fulfilled.